Permit #F00156765
FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00156765 **Type of Permit:** FILMING **Release Date:** 09/27/2019

Production Company	MJZ DBA MORTON JANKEL ZANDER
Insured Company Name	MJZ DBA MORTON JANKEL ZANDER
Contact Phone No. 1	310-826-6200
Contact Phone No. 2	
Fax	
Address	2201 CARMELINA AVE LOS ANGELES, California 90064
Production Title	XFINITY
Type of Production	Commercial - Standard

Producer	Martha Davis
Director	Nick Ball
1st AD	Chris Blanch
Production Manager	Rochelle Cook
FilmL.A. Coordinator	Kristin Weber
Location Manager	Mark Hosack
Primary Phone	Mobile - 818-636-6546
Secondary Phone	
Location Assistant	N/A N/A
Primary Phone	Mobile - 310-283-9606
Secondary Phone	

Fees

Posting 300	$138.00
Posting 1200	$276.00
Notification Charge	$173.00
FILMLA NON-REFUNDABLE FILM APPLICATION FEE	$699.00
LA CITY FIRE DEPARTMENT SPOT CHECK SURCHARGE	$85.00
LAUSD STANDARD DEPOSIT	$500.00
LAUSD PARKING SENIOR HIGH SCHOOL FULL DAY	$1,568.00

Total Permit Fee $3,439.00

Number of Locations 1

NOT A PERMIT

Permit #F00156765
FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00156765
Production Company MJZ DBA MORTON JANKEL ZANDER
Insured Company MJZ DBA MORTON JANKEL ZANDER
Production Title XFINITY

Location Manager Mark Hosack
Primary Phone Mobile - 818-636-6546
Secondary Phone

Location Address 19906 Santa Rita St, Los Angeles, CA, 91364
Location Type Private Residence
Prep Dates 9/29/2019 - 9/29/2019 09:00 - 22:00 1 day
Film Dates 9/30/2019 - 9/30/2019 07:00 - 22:00 1 day
Open or Closed to the Public Closed

Generic Conditions
THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.
*LA CITY AND/OR LA COUNTY FIRE CHECKLIST ATTACHED TO FINAL PERMIT. THE PERMITTEE IS RESPONSIBLE FOR COMPLETING CHECKLIST PRIOR TO FILMING ACTIVITY AT THIS LOCATION. NON COMPLIANCE MAY RESULT IN ASSIGNMENT OF A FIRE OFFICER.
Community Survey Obtained
Equipment staging and vehicles may park on one side of the street only.
Must comply with attached conditions
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with merchant activity.
No interference with vehicular or pedestrian traffic
No Parking in handicap spaces at anytime.
No stopping or setting up in front of merchants or residents without prior approval

Please see attached documents
09.30.19 SCHOOL 156765 (BASE PARK).pdf
HAZARD - Honda Generator Recall EU2000i.pdf
LAFD FILM - Fire Safety Inspection Checklist 2017.pdf
MJZ Xfinity Mark Hosack Agent Letter.pdf

Equipment on Location

Type	Quantity
5 or 10 ton trucks	2
Catering Truck	2
Cube Trucks	2
Generator	1
Motor Homes	1
Vans	2

Personnel on Location

Type	Quantity
Cast	5
Crew	60
Off-Duty/Retired LAPD Officer(s)	1
Spot Check	1

Filming Activities Equipment on property; Interior Dialogue; trucks parked in reverse flow;

Jurisdiction **Political:** Los Angeles City - Council District 03 **Police:** Los Angeles Police **Fire:** Los Angeles City Department

Thomas Guide **Page:** 560 **Grid:** E2

Approvals
FILML.A. SCHOOLS — James Zachary
LOS ANGELES CITY POLICE DEPARTMENT — Richard Priest

Coordinator Note LAFD SPOT CHECK APPROVED FOR BASE CAMP AND CREW PARKING PER INSP. MOREL.

Coordinator Note LAFD SPOT CHECK APPROVED WITH NO SMOKING, NO HONDA EU2000i GENERATOR with a serial number between EAAJ-2260273 to EAAJ-2485025, (See attached SAFETY AND

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information | Location

Permit Number F00156765
Production Company MJZ DBA MORTON JANKEL ZANDER
Insured Company MJZ DBA MORTON JANKEL ZANDER
Production Title XFINITY

Location Manager Mark Hosack
Primary Phone Mobile - 818-636-6546
Secondary Phone

EMISSIONS RECALL NOTICE), Generator in safe place on noncombustible surface, 20 feet away from brush AND Fire extinguisher in filming area every 75 feet per INSP. MOREL

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Other Location
5429 Quakertown Ave, Los Angeles, CA, 91364

Parking Notes
BASE CAMP AND ALL CAST, CREW, PERSONAL AND EXTRAS VEHICLE PARKING WILL BE ON (PRIVATE) PROPERTY ONLY - ABSOLUTELY NO CAST, CREW, EXTRAS, AUDIENCE OR PERSONAL VEHICLES TO BE PARKED ON AREA STREETS, ROADS (INCLUDING SHOULDERS) OR ALLEYS.

Posting "No Parking" signs S/S SANTA RITA BETWEEN LABAO AND OAKDALE
E/S LUBAO FROM SANTA RITA TO 5336 LUBAO
E/S LUBAO FROM SANTA RITA NORTH 150 FEET

Approximate Footage 901 - 1200 **Log Number** 256362
Date(s) 9/30/2019 to 9/30/2019 **Time(s)** 07:00 to 22:00

Posting "No Parking" signs S/S SANTA RITA 100 FEET IN FRONT OF 19906 SANTA RITA ONLY
Approximate Footage 0 - 300 **Log Number** 256444
Date(s) 9/29/2019 to 9/29/2019 **Time(s)** 07:00 to 22:00

Posting "No Parking" signs W/S OAKDALE FROM SANTA RITA SOUTH 100 FEET (GENERATOR PLACEMENT ONLY)
Approximate Footage 0 - 300 **Log Number** 256551
Date(s) 9/30/2019 to 9/30/2019 **Time(s)** 07:00 to 22:00

NOT A PERMIT

Permit #F00156765

LOS ANGELES FIRE DEPARTMENT
Bureau of Fire Prevention & Public Safety
FILM UNIT
200 N. Main Street, Suite 1710
Los Angeles, CA 90012
(213) 978-3670

Date of Application

Email questionnaire to: lafdfilm@lacity.org at least 48 hours prior to any proposed activity

Subject line of the email **shall** be formatted as follows: *SCHOOL/CHURCH [1ST Date of Activity] [FilmLA #] [Street Address]*
** EXAMPLE: School/Church 10/21/15 (FilmLA# FA00123456) 200 N Main St **

LAFD FILM UNIT - SCHOOLS & CHURCHES
Filming/Basecamp/Parking Pre-Approval Questionnaire

FACILITY INFORMATION

Facility Name: *	Facility Contact Name: *	SCHOOL	CHURCH
THOREAU SCHOOL	AMY AVIV	■	☐
Facility Address: *	**Facility Contact Phone #:** *	**OPEN** to Public	**CLOSED** to Public
5429 QUAKERTOWN AVE, WOODLAND HILLS	818-227-3600	☐	■

Facility Activity(ies) Happening During Production Activity(ies) (check all that apply) After School Program ☐ Day Care ☐ Sports Program ☐ Summer Program ☐

BE ADVISED: All film crew members are required to wear visible ID at all times while on campus. Any crew member found in any unauthorized area will result in the cessation of filming and that person will be removed from campus.

*Required

PRODUCTION COMPANY INFORMATION

Production Title: *	Production Contact: *	FilmLA Permit #: *
Xfinity	Rochelle Cook	156765
Production Company Name: *	**Production Contact Mobile Phone #:** *	**FilmLA Coordinator:** *
MJZ	310-283-9606	Kristin Weber

*Required

PRODUCTION COMPANY ACTIVITY

■ **FILMING (check box if applicable)**

Prep Date(s):	Film Date(s) & Time(s):	Strike Date(s):
none	September 30, 2019 from 7am - 10:00pm	none

# of Cast:	# of Crew:	# of Extras:	# of Generators:	Drone:	Special Effects (e.g. smoke, including Water-based, open flames, etc.)	Will Fire Alarm System Be Bypassed?:
3	62	0		Y ☐ N ■	Y ☐ N ■	Y ☐ N ■

Location(s) of Activity (areas or buildings) ***INCLUDE A MAP** or drawing showing where production activity will take place.*

Summary of Scene

THE STUDENT PARKING LOT WILL BE USED TO PARK CREW CARS & A FEW TRUCKS. ON 9-30-19 THE SCHOOL IS CLOSED. AND THE LOT WILL BE CLOSED TO THE PUCLIC . FILMING IS DOWN THE ROAD AT A HOME.

■ **BASECAMP (check box if applicable)**

Basecamp Date(s)	Additional information ***INCLUDE A MAP** or drawing showing where production activity will take place.*

■ **PARKING (check box if applicable)**

Parking Date(s)	Vehicles (Number, Size & Type) ***INCLUDE A MAP** or drawing showing where vehicles will land.*
9-3-19	65 CARS. CATERING. PRODUCTION CUBE. SEE MAP*

LAFD USE ONLY

INSPECTOR NAME	SPOT CHECK	UFSO REQUIRED
MOREL	X	☐

Notes:

NOT A PERMIT

- *Please note that by submitting this form for review, you agree to the above conditions and accept the responsibility of ensuring that all life/safety requirements will be followed. ANY ALTERATIONS, MODIFICATIONS AND/OR CHANGES IN STATED CONDITIONS ARE SUBJECT TO THE SAFETY OFFICER'S APPROVAL.*
- ***All pages of this document must be onsite and available for review by the Fire Inspector upon request. Failure to comply may result in the assignment of a UFSO if location is not in compliance with the fire requirements for use of the facility as stated in this document .***

Permit #F00156765

Google Maps 5429 Quakertown Ave



Imagery ©2019 Google, Imagery ©2019 Maxar Technologies, U.S. Geological Survey, USDA Farm Service Agency, Map data ©2019 100 ft



X = cor, base camp, catering area

5429 Quakertown Ave

Woodland Hills, CA 91364

Directions Save Nearby Send to your phone Share

Photos

PERMIT

American Honda Motor Co., Inc. Permit #F00156765

SAFETY AND EMISSIONS RECALL NOTICE

EU2000i Portable Generators

FUEL TUBE LEAK

Check below to see if your generator is affected by this recall.



Serial Number Location

Affected Model	Start Serial Number	End Serial Number
EU2000i	EAAJ-2260273	EAAJ-2485025

Units previously inspected/repaired are no longer part of this recall. They can be identified as follows:

Boxed generators are identified by a "green dot" located on the carton.

Also, one of the markings shown to the right, located inside the spark plug access cover.

Black dot

or Honda sticker 7D1 or 7D2



Consumers should immediately stop using the recalled generator and contact a Honda Power Equipment dealer to have it inspected/repaired free of charge.

What is the problem?

A tube clamp that connects a fuel tube to the bottom of the fuel tank may have been improperly positioned during assembly, and use of the generator may cause the clamp to wear a hole into an adjacent fuel tube. If the fuel tube is worn sufficiently, gasoline and gasoline vapors may leak out and a fire or explosion could occur.

What should you do?

Stop using any generator within the affected serial number range until it has been repaired. Please contact a servicing Honda Power Equipment dealer to make an appointment to have your generator inspected and if necessary repaired, free of charge. If you need assistance locating a servicing dealer, please visit our website: *www.PowerEquipment.Honda.com*, or call us at our recall line (888) 888-3139.

In cooperation with the U.S. Consumer Product Safety Commission,
California Air Resources Board, and the Environmental Protection Agency

NOT A PERMIT

Permit #F00156765

United States
CONSUMER PRODUCT SAFETY COMMISSION

American Honda Recalls Portable Generators Due to Fire and Burn Hazards

Serial Number Location

Recall Summary

Name of product:
Portable Generators

Hazard:
The generator's fuel hose can leak, posing fire and burn hazards.

Remedy:
Repair

Recall date:
November 15, 2012

Units:
About 150,600

Consumer Contact:
American Honda; Phone toll-free (888) 888-3139, 8:30 a.m. to 5 p.m. ET Monday through Friday, or online at http://powerequipment.honda.com and click on "Recalls and Updates" under "Service and Support" for more information.

NOT A PERMIT

Permit #F00156765

Recall Details

Description:

This recall involves Honda gasoline-powered portable generators with model number EU2000i and serial numbers EAAJ-2260273 through EAAJ-2485025. The generators are black and red in color or have a camouflage design. They measure about 20 inches long by 11 ? inches wide by 16 ? inches tall. "Honda," "EU converter" and the model number 2000i are printed on the side of the generator. "Companion" is printed on the side of some EU2000i models. The serial number is located on the lower right side, rear corner of the generator.

Remedy:

Consumers should immediately stop using the recalled generators and contact the nearest Honda Power Equipment dealer to schedule a free inspection and repair.

Incidents/Injuries:

Honda is aware of four incidents of fuel leaks. No fires or injuries have been reported.

Sold At:

Honda Power Equipment dealers, Camping World, Gander Mountain, Grainger, Hertz Rental, John Deere, National Pump & Compressor, Northern Tool, Scheels Sporting, Sportsman's Warehouse, Sunbelt Rentals, True Value, United Rentals, White Cap and Wholesale Sports store nationwide and online from October 2011 through September 2012 for between $1,150 and $1,400.

Manufactured In:

Japan

Recall number:

13-042

NOT A PERMIT

Permit #F00156765

LOS ANGELES FIRE DEPARTMENT
Bureau of Fire Prevention & Public Safety
FILM UNIT
200 N. Main Street, Suite 1710
Los Angeles, CA 90012
lafdfilm@lacity.org

FILM LOCATION FIRE SAFETY INSPECTION CHECKLIST

FilmLA Permit #:	Date of Filming:
Production Name:	Location Address:

THIS CHECKLIST SHALL BE COMPLETED DAILY FOR EACH PERMITTED FILMING LOCATION AND A HARDCOPY SHALL BE AVAILABLE WITH A COPY OF THE FILM PERMIT. This checklist shall be provided to any Los Angeles Fire Department Inspector visiting the filming location.

INSTRUCTIONS: ***Indicate "YES", "NO" or "N/A" (i.e. Not Applicable) for every numbered item below****. For each "NO" answer, corrective actions must be noted and executed before filming can continue.*

	ACCESS / FIRE PROTECTION	**YES**	**NO**	**N/A**
1	**911 Reporting:** Methods of reporting an emergency are available (e.g. mobile phone, landline, etc.)			
2	**Clearance (Fire Equipment):** Fire hydrants, extinguishers, sprinklers & standpipe connections are readily accessible and clear of all equipment & vehicles (e.g. no parking in front of hydrants, nothing hung from sprinklers, etc.)			
3	**Clearance (Fire Lanes):** Fire lane access must be maintained (***20 feet wide***)			
4	**Extinguishers:** Extinguishers present (***2A-10BC min. rating***), serviced, ready for use and ***within 75 ft. of travel***			
5	**Fire Equipment Bypass (e.g. alarm):** ***Fire alarm equipment shall not be disconnected without Fire Dept. approval***			

CORRECTIVE ACTION TO BE TAKEN:

	BASECAMP / CATERING / TENTS	**YES**	**NO**	**N/A**
6	**Extinguisher(s):** Catering trucks and cooking services provided with fire extinguishers (***2A-10BC minimum rating***)			
7	**Location (Cooking/Vehicles):** Catering located in safe area to operate; **Catering vehicles prohibited from cooking inside buildings, tents or other enclosures**			
8	**LPG Tanks (Cooking/Location/Protection)**: ***LPG cooking prohibited inside buildings; LPG tanks shall be stored outside;*** Portable LPG containers shall be stored within a suitable enclosure or otherwise protected against tampering			
9	**TENT Permit:** LAFD *'Specific Action or Project'* Permit for tent (or aggregate of tents) over ***700 sq. ft.*** *[**EXCEPTION**: Tent (or aggregate of tents) over 700 sq. ft. which are open on all sides and maintain a clearance of 12 feet to all structures or tents]*			
10	**TENT Specifications:** Tent complies with LA Fire Code (e.g. flame retardant, properly secured, etc.)			

CORRECTIVE ACTION TO BE TAKEN:

	ELECTRICAL & LIGHTING	**YES**	**NO**	**N/A**
11	**Clearance (3 ft. around Electrical Panels):** Maintain ***3 ft. clearance*** around electrical panels in buildings			
12	**Clearance (4 ft. Perimeter):** No distribution boxes or spiders within ***4 ft. perimeter*** unless approved by Fire Dept.			
13	**Cables, Cords & Connectors:** Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type			
14	**Distance from Heat Sources:** Lighting adequately separated from flammable/combustible materials and surfaces			
15	**Generators (Inspected, Grounded/Insulated & Location):** Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)			
16	**Grounded:** All electrical equipment, lighting, portable A/C, etc. shall be properly grounded			
17	**Hookup to Panel (Permit & Over-Current Hookup):** Electrical panel hookup must be done with a permit from L.A. Dept. of Building & Safety; hookup must be linked to over-current protection device			
18	**Water/Damp Areas:** Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.			

CORRECTIVE ACTION TO BE TAKEN:

	EXITING	**YES**	**NO**	**N/A**
19	**Clearance (Exiting):** ***Production equipment may not obstruct any part of the exiting system.*** All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the ***4 ft. perimeter*** around applicable sets.			
20	**Fire Escapes:** ***Fire escapes cannot be used for storage or operational activity***, and must be kept clear as escape routes			
21	**Roof/Basement/Mezzanine:** Roof, basement, mezzanine areas ***limited to 10 persons*** without Fire Dept. approval			
22	**Visible:** All exits must be adequate, visible, lit and well-marked			

CORRECTIVE ACTION TO BE TAKEN:

NOT A PERMIT

FLAMMABLE/COMBUSTIBLE LIQUIDS & GASES		YES	NO	N/A
23	**Distance from Heat Sources:** Flammable/combustible liquids and gases kept ***25 feet away*** from heat sources			
24	**Pressurized Gas (Hoses/Valves):** Approved hoses and valves used for pressurized gases (e.g. propane)			
25	**Refueling (Permit/Location/Vessels Bonded/Stop Motor):** Refueling vehicle must possess a valid LAFD *'Specific Action or Project'* permit; refueling must be conducted in approved area; supply and receiving vessels bonded together; *NO refueling while equipment is in operation.* ***No smoking within 25 feet of vehicle.***			
26	**Spray Painting/Lacquer Application & Cleanup:** Spray painting and lacquer application approved and performed safely in a properly ventilated area to prevent flammable vapors from accumulating. Rags used with paints solvents and other flammables shall be safely disposed of in containers with a tight-fitting lid.			
27	**Storage (Approved Containers, Secured, "NO SMOKING" Signage):** Proper storage of flammable liquids in approved containers (***Max. 5-gallon containers***); pressure vessels secured and stored with "No Smoking" signs, and protected from vehicle traffic			
	CORRECTIVE ACTION TO BE TAKEN:			

PYROTECHNIC SPECIAL EFFECTS (SPFX) & SPECIAL PERMITS		YES	NO	N/A
28	**Extinguishers:** Fire extinguishers provided by pyrotechnic operator onsite, charged and in good working order			
29	**License:** Proper license in possession of pyrotechnic operator			
30	**Permit:** LAFD *'Special Permit'* required for open flame (e.g. candles), hot work, pyrotechnics, etc.			
31	**Safety Meeting:** A safety meeting shall be conducted prior to pyrotechnic activity			
32	**SPFX Used as Per Permit:** Special effects used as per LAFD *'Special Permit'*			
	CORRECTIVE ACTION TO BE TAKEN:			

SETS/CONSTRUCTION		YES	NO	N/A
33	**Auto/Motor Craft on Stage:** LAFD ***'Special Permit' (F-315-G)*** required; fuel in tank not to exceed ***1/4 tank or 5 gallons (whichever is less)***; fuel tanks and fill openings closed & sealed to prevent tampering; no fueling/de-fueling within building; batteries disconnected on applicable auto/motor craft			
34	**Clean Work Area (Saw Dust & Scraps):** Light combustibles in carpenter shop and other work areas removed frequently			
35	**Distance from Brush:** Sets must be at least ***20 feet from brush***			
36	**Flame Retardant:** Curtains, backdrops, window covering, trees, bushes, hay, etc., if not fresh must be flame retardant			
37	**NO SMOKING:** Set construction areas kept clean with "NO SMOKING" signs			
38	**Sets Requiring LAFD Approval:** Sets requiring Fire Dept. approval are (1) Interior Raised Floor > 600 sq. ft. (2) Hard Ceiling > 600 sq. ft. (3) Foam sets (4) Sets impacted by SPFX			
	CORRECTIVE ACTION TO BE TAKEN:			

SMOKING (DESIGNATED & NO SMOKING AREAS)		YES	NO	N/A
39	**DESIGNATED SMOKING (Location):** Where smoking areas are allowed, those areas are clearly marked and supplied with butt cans			
40	**NO SMOKING (Signage):** "NO SMOKING" signs prominently visible where smoking is prohibited			
41	**NO SMOKING (Prohibited Areas = Near Brush, SPFX & Flammables/Combustibles):** Smoking ***prohibited*** near brush, pyrotechnics/special effects, flammable liquid storage and dispensing areas			
	CORRECTIVE ACTION TO BE TAKEN:			

Failure to comply with the requirements identified within this document may result in the dispatch of a UFSO, the revocation of permit and/or cancellation of film production. [LAMC 57.104.18, 57.105.5, 57.4807.1]

Should LAFD inspectors need further information regarding the completion of this form, please contact:

Signature _____ **Phone Number** _____

Print Name _____ **Title** _____

LAFD Inspector Signature _____

NOT A PERMIT

Appointment of Film Permits Unlimited, Inc.
As Authorized Agent and representative

I certify that I am a representative of MJZ ("Principal") and am authorized to enter into binding contractual agreements on it's behalf. I further certify that I am authorizes by Principal to appoint other representatives and agents for Principal and to give such representatives and agents authority to enter into and bind Principal to agreements relating to the issuance of and compliance with location film (e.g. theatrical, television, commercial and other motion picture filming) and still photographic permits, including the permits themselves and any riders to such permits. Acting on behalf of Principal in my capacity as its authorized representative, I appoint Film Permits Unlimited, Inc. and it's employees and agents ("FPU") as Principal's authorized representatives and agents to apply for location film (e.g. theatrical, television, commercial and other motion picture filming) and still photographic permits on behalf of Principal through Film LA, Inc., any city and county, or through any other jurisdiction: to negotiate, discuss, accept, modify, agree to and bind Principal to the terms and conditions of such permits (including all restrictions and /or community guidelines applicable to any such permit): and to execute such permits on behalf of Principal. Principal understands, acknowledges and agrees that it (and/or its insurer) remains responsible and liable for all obligations imposed by or Incidental to any permit or rider issued to Principal signed by an employee or agent of (including any coordinator, runner or messenger used by) FPU. Principal further agrees to comply with the terms and conditions of any such permits and hereby appoints FPU as an authorized representative to facilitate compliance with such terms and conditions following issuance of any such permits and to enter into agreements for Principal with respect thereto. Any person, agency, entity, or organization (including Film LA, Inc. and any city county or other jurisdiction) may rely upon this appointment and need not obtain further authorization for any act described herein. An original or faxed copy of this appointment shall be sufficient, and may be treated as an original for all purposes. The appointment may be revoked by Principal at any time in writing, but in any case, shall expire one (1) year from the date of execution set forth below.

I declare under penalty of perjury under the laws of the State of California that I am authorized to appoint FPU as agent for Principal, and based upon that authority I hereby appoint FPU as Principal's agent as set forth herein.

Dated: 9/26/19

MJZ
Name of Principal

By: _____
Representative's Signature

Mark Hosack
Print Representative's Name

Location Manager
Representative's title

2201 S Carmelina Ave

Los Angeles CA 90064
Principal's Address

310.826.6200
Principal's Telephone

Film Permits Unlimited, Inc.
Phone (818) 347-9929
Fax (818) 347-9784

Please sign and fax back
Principal = Name of Company

NOT A PERMIT